

**Stoneybrook West Master Association, Inc.
Design Review Guidelines**

**As Approved by the Board of Directors on the 9th of
November, 2007**

Table of Contents

Article I. INTRODUCTION TO ARCHITECTURAL REVIEW	5
Section 1.01 Purpose of Design Review Guidelines	5
Section 1.02 Definitions	5
Section 1.03 Governmental Permits	5
Section 1.04 Preparer	5
Section 1.05 Applicability of Architectural Review	5
Section 1.06 Review Structure	6
(a) Board	6
(b) Architectural Review Committee	7
Section 1.07 Application Fees	7
Article II. DESIGN REVIEW PROCEDURES	7
Section 2.01 Review of New Construction	7
Section 2.02 Review of Modifications	7
Section 2.03 Plans to be Reviewed	8
(a) Lot Survey	8
(b) Site Plan	8
(c) Floor Plan	8
(d) Elevations	8
(e) Roof Plan	8
(f) Exterior Finishes	9
(g) Landscaping Plan	9
(h) Other	9
Section 2.04 Review Criteria; Recommendations; Variances	9
Section 2.05 Review Period	10
(a) Approved	10
(b) Disapproved	10
Section 2.06 Appeal	Error! Bookmark not defined.
Section 2.07 City of Winter Garden Approval	11
Section 2.08 Implementation of Approved Plans	11
Section 2.09 Time to Complete	11
Section 2.10 Changes After Approval	11
Section 2.11 Enforcement	12
Article III. ARCHITECTURAL AND IMPROVEMENT DESIGN STANDARDS 12	
Section 3.01 Accessory Buildings	12
(a) Materials	12
(b) Screen Enclosures	12
(c) Utilities	12
(d) Sheds	13
(e) Garages	13
Section 3.02 Additions and Expansions	13
Section 3.03 Air Conditioning Equipment	13
Section 3.04 Antennae and Communication Dishes	13

Section 3.05	Architectural Standards	14
(a)	Exterior Wall Treatments	14
(b)	Exterior Colors	14
Section 3.06	Awnings and Overhangs	14
Section 3.07	Clotheslines	Error! Bookmark not defined.
Section 3.08	Compost	14
Section 3.09	Decks and Balconies	15
Section 3.10	Exterior Stairways	15
Section 3.11	Docks	15
Section 3.12	Dog Houses and Kennels	15
Section 3.13	Elevation	15
Section 3.14	Exterior Lighting	16
Section 3.15	Flagpoles and Flag Display	16
Section 3.16	Holiday Decorations	17
Section 3.17	Gazebos & Greenhouses	17
Section 3.18	Hot Tubs and Spas	17
Section 3.19	Latticework and Trellises	17
Section 3.20	Mailboxes	17
Section 3.21	Massing	18
Section 3.22	Paint	18
Section 3.23	Patios	18
Section 3.24	Playhouses	18
Section 3.25	Pools	19
Section 3.26	Recreational Equipment and Playsets	19
Section 3.27	Roofing	20
Section 3.28	Roof Accessories and Equipment	20
Section 3.29	Siding	21
Section 3.30	Signs	21
(a)	Exceptions	21
Section 3.31	Solar Equipment	22
Section 3.32	Temporary Structures	22
Section 3.33	Building Type	22
Section 3.34	Garbage and Trash Containers	22
Section 3.35	Utilities	23
Section 3.36	Windows and Doors	23
Article IV.LANDSCAPING AND SITE STANDARDS		24
Section 4.01	Landscaping	24
(a)	Minimum Landscaping	24
(b)	Plant Quality Standards	24
(c)	Maintenance	24
(d)	Ornamentation	26
(e)	Statues and Fountains	26
(f)	Birdbaths, Birdhouses, and Birdfeeders	26
Section 4.02	Drainage	26
Section 4.03	Easement Plantings	26

Section 4.04	Fences, Walls, and Enclosures	27
(a)	Height; Materials; Types; Construction	27
(b)	Property Adjacent to Pond or Lake, Golf Course Fairway, or Park Area	27
(c)	Maintenance	27
Section 4.05	Vegetable Gardens	28
Section 4.06	Grading	28
Section 4.07	Hedges	28
Section 4.08	Paving; Driveways and Walkways	28
Section 4.09	Curbing and Mulch	29
Section 4.10	Retaining Walls	29
Section 4.11	Sewage Disposal Systems	30
Section 4.12	Underground Installations	30
Section 4.13	Views	30
Section 4.14	Irrigation Systems	30
Section 4.15	Water Conditioners	30
Article V.	CONSTRUCTION GUIDELINES	30
Section 5.01	Inspections	30
Section 5.02	Vegetation Protection and Barricading	31
Section 5.03	Construction Damages	31
Section 5.04	Conduct	31
Section 5.05	Site Cleanliness	32
Article VI.	ADDITIONAL DESIGN REVIEW PROCEDURES AND LANDSCAPING AND SITE STANDARDS FOR NEW CONSTRUCTION OR MODIFICATIONS TO PROPERTY	32
Section 6.01	Additional Architectural Review Procedures	32
(a)	Signage Plan	32
(b)	Exterior Lighting Plans	32
Section 6.02	Initial Landscaping	32
Section 6.03	Drainage	32
Section 6.04	Driveways; Parking Lots; Paving	33
Section 6.05	Exterior Lighting	33
Section 6.06	Grading	34
Section 6.07	Signage for New Construction	34
(a)	Signs Not Permitted	34
Section 6.08	Underground Installations	34
Section 6.09	Views	34
Article VII.	NON-LIABILITY FOR APPROVAL OF PLANS	34
Article VIII.	CHANGES AND AMENDMENTS TO THE DESIGN REVIEW GUIDELINES	35

Stoneybrook West Master Association, Inc. Design Review Guidelines

Article I. INTRODUCTION TO ARCHITECTURAL REVIEW

Section 1.01 Purpose of Design Review Guidelines

The Design Review Guidelines provide an overall framework and comprehensive set of standards and procedures for the development of the community in an orderly and harmonious manner. These standards have been developed to assist in the planning, constructing, landscaping, and modifying of Lots and Property within Stoneybrook West. The standards set forth criteria for design, style, materials, colors and location of site improvements, landscaping, signage, and lighting. In addition, the Design Review Guidelines establish a process for review of proposed construction and modifications to Lots and Property to ensure that all sites within Stoneybrook West are developed and maintained with the consistency and quality that attracted you to this development.

Section 1.02 Definitions

The Board of Directors is referenced in this document as “Board.” The Architectural Review Committee is referenced in this document as “ARC.” The Declaration of Covenants, Conditions and Restrictions of Stoneybrook West is referenced in this document as “the CC&Rs.”

Section 1.03 Governmental Permits

To the extent that State of Florida, Orange County, City of Winter Garden, or any other government ordinance, building code, or regulation requires a more restrictive standard than the standards set forth in these Design Review Guidelines or the CC&Rs, the government standards shall prevail. To the extent that any government standard is less restrictive, the CC&Rs and the Design Review Guidelines (in that order) shall prevail.

Section 1.04 Preparer

These Design Review Guidelines have been prepared by the ARC and adopted by the Board pursuant to the CC&Rs. The Design Review Guidelines may be changed and amended to serve the needs of an evolving community subject to approval by a majority vote of the Board.

Section 1.05 Applicability of Architectural Review

These Design Review Guidelines shall be applicable to all properties that are subject to the CC&Rs. Unless otherwise specifically stated in the CC&Rs or these Design Review Guidelines, all plans and materials for new construction or exterior modifications

or improvements on a Lot or Property must be approved before any construction or modification activity begins. Unless otherwise specifically stated in these Design Review Guidelines, no structure may be erected upon any Lot or Property, and no improvements (including staking, clearing, excavation, grading and other site work, exterior alteration of existing improvements, and planting or removal of landscaping materials) shall take place without receiving the prior written approval of the appropriate Reviewer as described below. Where these Design Review Guidelines specifically allow an Owner to proceed without advance approval, such allowance shall only be effective so long as the Owner complies with the requirements of the stated guideline.

Owners are responsible for ensuring compliance with all standards and procedures within these Design Review Guidelines. Owners are also governed by the requirements and restrictions set forth in the CC&Rs, as they may be amended and supplemented from time to time, and any other applicable Architectural and landscape guidelines. In particular, Owners should review and become familiar with all covenants, conditions and restrictions established by the CC&Rs.

All approved requests will be based on the version of the Design Review Guidelines that was in use on the date of approval. Any future requests to previously approved modifications, regardless of the previous versions of Design Review Guidelines, shall be required to bring the area of modification into compliance with the current version of the Design Review Guidelines.

Section 1.06 Review Structure

Architectural control and design review for Stoneybrook West is handled by either: (i) the Board or its designee; or (ii) the Architectural Review Committee. The term “Reviewer”, as used in these Design Review Guidelines, shall refer to the appropriate reviewing entity.

(a) Board

As set forth in the CC&Rs, the Board is the ultimate arbiter of issues relating to the construction, reconstruction, demolition and/or modification of improvements within the community. However, pursuant to the CC&Rs, the Board has delegated a portion of its jurisdiction to an Architectural Review Committee (“ARC”) appointed by the Board. Notwithstanding such delegation, the Board shall retain jurisdiction over all Stoneybrook West functions and issues not delegated to the ARC, shall be the ultimate interpreter of these Design Review Guidelines, shall monitor the effectiveness of these Design Review Guidelines, and may, but shall not be obligated to, promulgate additional design standards and review procedures as it deems appropriate.

In addition, the Board’s delegation to the ARC shall be subject to the right of Board to veto any ARC approval at variance with these Design Review Guidelines or precedent of construction, landscaping or improvement within Stoneybrook West.

(b) Architectural Review Committee

The ARC has such powers and authority as are set forth in Article VIII, Section 8.24 of the CC&Rs. The ARC shall give the Board at least ten business days' advance notice of its recommendation on any ARC Application that may require a variance from these Design Review Guidelines or established construction, landscaping, or improvement practices within Stoneybrook West. The Board shall have final authority to approve or disapprove any such contemplated variance.

Section 1.07 Application Fees

An Applicant must submit an ARC Application prior to the commencement of the work described in the ARC Application. If an application is filed after the commencement of the work described in the ARC Application, the Applicant shall be subject to a late filing fee as established by the Board, payable to the Stoneybrook West Homeowners' Association (the "Association"). The payment of a late fee shall not be deemed approval to proceed or continue with the proposed improvement.

Article II. DESIGN REVIEW PROCEDURES

Section 2.01 Review of New Construction

Plans for initial new construction upon any Lot or Property must be reviewed and approved by the Board, requiring the submission of an ARC Application. Each Applicant shall submit a conceptual or preliminary site layout and floor plan, as well as any tree removal requests. Also, exterior finishes and color schemes, if available, and information concerning irrigation systems, drainage, lighting, landscaping, and other features shall be provided. Requirements for plans are further explained in Section 2.03 below. Applicants may request an initial meeting with a representative of the Reviewer to address any questions about Stoneybrook West and the Architectural Planning Criteria. All requests are handled through the property management office located at the Town Center.

Approved Builders of multiple Lots or Properties within a Stoneybrook West or a tract may submit plans and specifications for similar site plans, floor plans, and layouts on similarly situated Lots or Properties for pre-approval on an entire tract, in lieu of seeking approval as to each Lot or Properties owned; provided, however, the Board may require a review of pre-approved plans for their use on specific Lots or Properties. To be pre-approved the plans and specifications shall show the nature, kind, shape, color (if available at that time), size, materials and location of all proposed structures and improvements. Any changes made to pre-approved plans and specifications during the construction of improvements shall require approval of the Board.

Section 2.02 Review of Modifications

The review of modifications shall require the submission of an ARC Application to the Reviewer or Reviewer's designee. Depending on the scope of the modification, the Reviewer may require the submission of all or some of the plans and specifications listed below in Section 2.02. In the alternative, the Reviewer may require a less detailed description of the proposed modification.

Section 2.03 Plans to be Reviewed

A Reviewer will require a set of any of the following plans (scale 1/4" = 1'0" unless noted otherwise) for any proposed modification, in addition to the submission of an ARC Application. Plans must show and locate landscape improvements proposed, including but not limited to such items as plant types and sizes, sprinkler systems, and driveway(s), walkway(s), path(s), wall(s) and fence(s) and types of materials to be used. In appropriate cases, a comprehensive landscaping plan prepared by a landscape architect or other qualified landscape engineer shall be submitted to the ARC prior to the commencement of any clearing, landscaping or construction. Required plans may include:

(a) Lot Survey

Showing the location of the proposed change, alteration, renovation or addition highlighted.

(b) Site Plan

Showing a clearing and grading scheme with proposed and existing land contours; grades and flow of the site drainage system; location of existing trees, including identification of every tree with a diameter of four inches or more measured at a height of three feet above grade and location and size of trees proposed for removal; the location or "footprint" of the proposed improvement, including setback lines, fences, retaining walls, driveways, curb-cuts, walkways, fences, pools, patios, landscaping, buildings, and other improvements. Minimum scale of 1"= 20'.

(c) Floor Plan

Showing decks, patios, stoops, retaining walls related to the dwelling, trash enclosures, HVAC equipment and utilities, and the screening for same, interior spacing of rooms, and connections to driveways and walkways.

(d) Elevations

Front, rear and side exterior elevations showing building materials and finishes, and indicating the maximum height of the dwelling.

(e) Roof Plan

Showing slopes, pitches, roofing materials, colors, and gables, unless reflected in the other plans.

(f) Exterior Finishes

Showing the exterior color scheme and texture (including samples and color chips), lighting scheme, and other details affecting the exterior appearance of the proposed improvements.

(g) Landscaping Plan

Showing location, size, species, and quantity of all plant material, paving materials, light poles, mailboxes, protection of existing vegetation, use of plants, and other landscaping details.

(h) Other

Such other information, data, and drawings as may be reasonably requested, including without limitation, irrigation systems, drainage, lighting, satellite dish placement, landscaping, screening, fences, and other features.

Section 2.04 Design Review Guidelines; Recommendations; Variances

While the Design Review Guidelines are intended to provide a framework for construction and modifications, the Design Review Guidelines are not all-inclusive. In its review process, the Reviewer may consider the quality of workmanship and design, harmony of external design with existing structures, and location in relation to surrounding structures, topography, and finished grade elevation, among other things. Reviewer decisions may be based on purely aesthetic considerations. However, no Reviewer shall grant approval for any proposed construction or modification that is inconsistent with the Design Review Guidelines, unless such Reviewer grants a variance.

The ARC, with approval from the Board, shall have the authority from time to time to adopt and revise lists of recommended landscape materials and hardscape materials. The authorized entity which establishes the list(s) may provide that the purpose of the list(s) is merely to provide guidance and that installation of recommended materials does not relieve the Applicant from any obligations set forth in these Design Review Guidelines to acquire approval prior to installation.

Variances may be granted in some circumstances (including, but not limited to, topography, natural obstructions, severe hardship, or environmental considerations) where deviations may be required or highly desirable. The Reviewer shall have the power to grant a variance from strict compliance in such circumstances, so long as the variance does not result in a material violation of the CC&Rs. No variance shall be effective

unless in writing and signed by the ARC chairperson with the support of a majority of the ARC members.

Section 2.05 Review Period

A written response shall be made to each ARC Application and plan submittal within Thirty (30) business days of submission of all materials required by the Reviewer. All necessary attachments will be retained in the Association files.

The Reviewer's decision shall be rendered in one of the following forms:

(a) Approved As Submitted

The entire application as submitted is approved.

(b) Approved With Modifications

The application is approved, if and only if the Applicant adheres to the modifications stipulated by the ARC or the Board. The Applicant must counter sign the modifications to indicate Applicant's understanding of, and willingness to comply with, the stipulations noted.

(c) Disapproved

The entire application as submitted is rejected in total. The Reviewer may provide comments but is not required to do so.

Section 2.06 Resubmissions to the ARC

Any Applicant shall have the ability to attempt to overcome the objections of the Reviewer by resubmitting the information, documents, and fees, if applicable, set forth above within 15 business days of receiving a response; however, such resubmission shall be considered only if the Applicant has modified the proposed construction or modification or has new information that would, in the Reviewer's opinion, warrant a reconsideration. In the case of a disapproval and re-submittal, the Reviewer shall have Thirty (30) business days from the date of each re-submittal to approve or disapprove any re-submittal. The filing of an appeal does not extend any maximum time period for the completion of any new construction or modification.

Approval of an application previously denied may only be made in writing.

Section 2.07 Appeals to the Board of ARC Decisions

Pursuant to Article VIII, Section 8.24 (C) of the CC&Rs, any person aggrieved by a decision of the ARC shall have the right to make a written appeal to the Board within

thirty (30) days after notification of that decision. The determination by the Board, upon prompt review of any such decision, shall in all events be final.

Section 2.08 City of Winter Garden Approval

The review and approval of plans and specifications shall not be a substitute for compliance with the permitting and approval requirements of the City of Winter Garden or other governmental authorities. It is the responsibility of Applicant to obtain all necessary permits and approvals.

A copy of all issued permits must be filed with the ARC to demonstrate that all governmental approval processes are completed prior to commencing work

Section 2.09 Implementation of Approved Plans

All work must conform to approved plans. If it is determined by the Reviewer that work completed or in progress on any Lot or Property is not in compliance with these Design Review Guidelines or any approval issued by the Reviewer, the Reviewer shall, directly or through the Board, notify the Owner and Builder, if any, in writing of such noncompliance specifying in reasonable detail the particulars of noncompliance and shall require the Owner and/or Builder to remedy the same. If the Owner and/or Builder fails to remedy such noncompliance or fails to commence and continue diligently toward achieving compliance within the time period stated in the notice, then such noncompliance shall be deemed to be in violation of the CC&Rs and these Design Review Guidelines.

Section 2.10 Time to Complete

Once construction is commenced, it shall be diligently pursued to completion. Completion of all modifications shall take place within one month of the Anticipated Completion Date specified on the approved ARC Application. The Applicant may request an extension of such maximum time period not less than three days prior to the expiration of the maximum time period, which the Reviewer may approve or disapprove, in its sole discretion. If construction is not completed on a project within the period set forth above, or within any extension approved by the Reviewer, the approval shall be deemed withdrawn, and the incomplete construction shall be deemed to be in violation of the CC&Rs and these Design Review Guidelines.

Section 2.11 Changes After Approval

All proposed changes to plans, including changes that affect the exterior of any building, colors, windows, grading, paving, utilities, landscaping, or signage, made after the approval of plans must be submitted to and approved in writing by the Reviewer prior to implementation. Close cooperation and coordination between the Applicant and the Reviewer will ensure that changes are approved in a timely manner.

If the City of Winter Garden or any other authority having jurisdiction requires that changes be made to final construction plans previously approved by the Reviewer, the Applicant must notify the Reviewer of such changes and receive approval from the Reviewer prior to implementing such changes.

Section 2.12 Enforcement

In the event of any violation of these Design Review Guidelines, the Board may take any action set forth in the Bylaws of the Association or the CC&Rs, including the commencement of litigation or the levy of a fine pursuant to the CC&Rs. As appropriate, the Board may remove or remedy the violation and/or seek injunctive relief requiring the removal or the remedying of the violation. In addition, the Board shall be entitled to recover all costs incurred in enforcing compliance and/or impose a fine against the Lot or Property upon which such violation exists.

Article III. ARCHITECTURAL AND IMPROVEMENT DESIGN STANDARDS

The following specific site criteria shall apply to all proposed or existing property within Stoneybrook West unless a variance is granted by a Reviewer.

Section 3.01 Accessory Buildings

Owners shall secure Reviewer approval prior to construction of any attached accessory building or playhouse. A detached garage is not considered an accessory building, and its construction shall require Reviewer approval on a case-by-case basis. Accessory buildings shall meet the following criteria:

(a) Materials

An attached accessory building must be of the same color, material, and Architectural style as the main residence or of color, material, and style that is generally recognized as complementary to that of the main residence. An accessory building's roofing materials shall match those of the main residence. Roofs may be peaked provided dimensional shingles, tiles or better are used. Aluminum roofs must be insulated and slightly sloped.

(b) Screen Enclosures

A screen enclosure can extend beyond the side of the house provided there is at least a five (5) foot set back from the property line. The enclosure cannot be any closer to the front Lot line than a line parallel to the back of the Living Unit, however placement shall be subject to Reviewer approval.

(c) Utilities

Any utilities servicing accessory buildings shall be installed underground. The only exception is propane tanks servicing the structure.

(d) Sheds

No free-standing utility sheds or storage sheds are permitted.

(e) Garages

Each house shall have a garage with a capacity of at least two (2) automobiles. Entry to the garage shall be located on the front or side of the residence. No fiberglass garage doors are permitted. No garage shall be enclosed or converted to other use without the express written approval of the ARC, except for the temporary use of a garage by a builder of homes in the Subdivision as a sales office or construction office.

Section 3.02 Additions and Expansions

Reviewer approval is required for any addition to or expansion of a residence. Materials, color and style shall match the existing residence.

Section 3.03 Air Conditioning Equipment

Reviewer approval is required for the installation of exterior air conditioning equipment or evaporative coolers. No window or wall air conditioning units shall be allowed. All air conditioning equipment will be shielded from view at ground level by appropriate landscaping or approved fencing.

Section 3.04 Antennae and Communication Dishes

All Units are to be pre-wired for cable television in accordance with the standards established by the Reviewer.

No erection or placement of satellite dishes and/or antennas, whether permanently or temporarily, shall take place except in strict compliance with the provisions of the CC&Rs and these Design Review Guidelines, provided, however, that (i) an antenna designed to receive direct broadcast satellite services, including direct-to-home satellite services, that is one meter or less in diameter; (ii) an antenna designed to receive video programming services via multipoint distribution services, including multi-channel multipoint distribution services, instructional television fixed services, and local multipoint distribution services, that is one meter or less in diameter or diagonal measurement; or (iii) an antenna that is designed to receive television broadcast signals; (collectively, "Permitted Antennas") shall be permitted on Units, subject to such reasonable requirements as to location and screening, consistent with applicable law, in

order to minimize obtrusiveness as viewed from streets and adjacent property. Neither rooftop tripods or mountings nor ground based tripods or poles are permitted..

Section 3.05 Architectural Standards

The exteriors of all buildings must be designed to be compatible with the natural site features of the property and to be in harmony with their surroundings. The land forms, the natural contours, local climate, vegetation, and the views should dictate the building location, the building form, and the Architectural style. The Reviewer may disapprove plans if in its judgment the massing, Architectural style, roofline, exterior materials, colors or other features of the building do not meet these standards.

(a) Exterior Wall Treatments

The following are acceptable exterior wall treatments for vertical surfaces: (i) Natural stone; (ii) Painted stucco in natural earth tones; and (iii) Anodized or paint finish are required on all metal surfaces including but not limited to windows, window screens, roof flashing, drips, caps, garage doors and screened pool enclosures preferably in earth tones or compatible colors to the surrounding surfaces.

(b) Exterior Colors

Color selections for all exterior material shall be the original approved color or color scheme, another Board-approved color or color scheme, or in natural or earth tones. No pastels or primary colors may be used. Unless the original color or color scheme is used, owners must submit for approval color samples of all exterior surfaces to the Reviewer for review and approval prior to commencing construction or painting, including specifications and samples for window and metal finishes, roof material, trim, and exterior surfaces and accents. For a change in the residence's main color to be approved, the owner shall submit a 2' x 2' sample of the body color, a 1'x1' sample of the trim color located adjacent to the right of the body color, and a 1'x1' sample of the door color located below the trim color and adjacent to the body color on the side or rear of the structure. The resulting color patch should be a rectangle that is 3' wide and 2' tall.

Section 3.06 Awnings and Overhangs

The installation of overhangs requires Reviewer approval. The overhang color must be the same as or generally recognized as complementary to the exterior of the residence. Awnings will only be approved in limited situations where overhangs are not able to be constructed due to municipal regulations or codes.

Section 3.07 Compost

Reviewer approval is required for the installation of compost containers. Compost containers shall not be immediately visible to any street or adjacent properties, and Owner must control odors.

Section 3.08 Decks and Balconies

Owners shall secure Reviewer's approval before installing decks or balconies. Decks and balconies must be constructed of wood or other material similar to that of the residence and, if painted, must be painted a color similar to or generally acceptable as complementary to the residence in accordance with Section 3.05.b above.

Decks and balconies must be installed as an integral part of the residence or patio area. Any such decks or balconies must be located so as not to materially obstruct or diminish the view of or create an unreasonable level of noise for adjacent property owners. Construction shall not occur over easements and must comply with the applicable City of Winter Garden requirements.

Section 3.09 Exterior Stairways

Exterior stairways shall be permitted if approved by the ARC.

Section 3.10 Docks

No Owner or occupant shall be permitted to erect a dock on or adjacent to common areas or retention ponds. Docks may be installed on Black Lake by residents with lake frontage with approval from the ARC, provided that the aesthetic appearance of the dock must harmonize with the aesthetic appearance of the Living Unit on the Lot.

Section 3.11 Dog Houses and Kennels

Doghouses used for temporary protection are permitted without review so long as the doghouse is not visible from the street or adjacent properties. Overnight or extended use of a doghouse for housing pets is prohibited. If the doghouse will be visible, Reviewer approval shall be required. Screening, fencing or landscaping may be required to screen the placement of the doghouse

Animal kennels are prohibited. No animal structure shall provide shelter for more than 2 dogs over six months of age.

Section 3.12 Elevation

A height limit of thirty-five feet for each Lot shall be the maximum height of each building and shall be measured from finished ground floor to the highest elevation of the roof or roof element. Vertical height coordination and compatibility of adjacent buildings with regard to building profiles will be considered an important design element by the

Reviewer. The Owner may be required to provide additional drawings to the Reviewer demonstrating the compatibility of building profiles not only in frontal elevation but also from overlapping side elevations of structures on adjacent Lots.

Section 3.13 Exterior Lighting

ARC approval is required to install or modify exterior lighting. Exterior lighting or illumination that may be installed on any Lot shall be installed so as to avoid visible glare (direct or reflected) to any subdivision street, Sidewalk, Common Area and other Lots. No lighting fixture shall be installed that may be or become an unreasonable annoyance or a nuisance to the residents of adjacent property.

Accent (Landscaping) Lighting fixtures must be black, dark green or dark brown, so they blend in with the background. The light fixtures may not exceed 18 "in height. Installation of coach lights or other fixtures that differ in color or style from those originally installed requires ARC approval.

Section 3.14 Flagpoles and Flag Display

One portable, removable United States flag or the official flag of the State of Florida may be displayed in a respectful manner, as per Florida Statute 720.304. In addition, the following flags of the same dimensions as the United States flag may be flown on the same portable, removable flagpole immediately underneath the United States flag: any military service flag. All other flags, pennants, streamers, and other flag-like items may not be displayed from such poles, and their display anywhere else on the property must be approved by the ARC. The United States flag must be flown in strict compliance with the Federal Flag Code (United States Code Title 36, Chapter 10) and any failure to comply with the Federal Flag Code will be considered a violation of these Design Review Guidelines and be subject to HOA violation enforcement. Flagpoles must be removed within 15 days if the United States flag is not flown.

Flagpoles may be placed in the front yard only, must be at least 25 feet from the adjacent property line, must be mounted or installed in an approved manner, and must be white, silver, or a neutral color.

The top of the flagpole may not be higher than 20 feet above adjacent ground elevation. The ARC shall approve the material and composition of the flagpole and any ornamentation on the flagpole top.

Flagpoles shall only be installed so as not to encroach upon common or easement property.

Flagpole halyards must be of a type that does not make noise under any wind condition. Halyards must be kept securely tied.

Flagpoles must be installed in a manner so as not to present a view obstruction to neighbors. Adjacent homeowner notification will be made and neighbor input will be solicited in all cases prior to approval.

Any flag not removed from dusk to dawn requires illumination per the Federal Flag Code. Any illumination of the United States flag, which is required if you choose to display the flag 24 hours per day, shall be submitted in the normal manner for Architectural Review Committee approval. Lighting shall be designed to illuminate the United States flag from sunset to sunrise and directed so as to minimize illumination of adjacent homeowners' structures. Lighting shall be focused on a circular area at the top of the pole to have a diameter of no more than 2.5 times the length of the flag.

Section 3.15 Holiday Decorations

Any owner may display holiday decorations on such Owner's lot for generally recognized holidays so long as the same are removed within the later of; (i) one week after the passing of the holiday or, (ii) the end of the month in which the holiday falls, with the exception of December holiday season decorations, which shall be removed by the following January 15th. No other type of decoration shall be permitted.

Holiday decorations may not be installed or displayed more than 45 days prior to the generally recognized holiday. Any exception must have the approval of the Board.

Section 3.16 Gazebos & Greenhouses

Reviewer approval is required prior to the construction of any gazebo, greenhouse or solariums. Any gazebo, greenhouse or solarium must be an integral part of the landscape plan and must not materially obstruct any adjacent property owner's view.

Section 3.17 Hot Tubs and Spas

Reviewer approval is required prior to the construction of any exterior hot tub, Jacuzzi, or spa, and shall be an integral part of the deck or patio area and/or the rear yard landscaping. A hot tub, Jacuzzi, or spa shall be located in the rear yard in such a way that it is not higher than 3 feet tall. All fuel tanks, along with other necessary mechanical equipment, will be shielded from view at ground level by mature landscaping or decorative fences.

Section 3.18 Latticework and Trellises

Latticework or a garden trellis may not be installed without Reviewer approval.

Section 3.19 Mailboxes

No mailbox, paper box, or other receptacles for such materials shall be maintained on a residential lot unless its size, type, location, and design have been approved by the ARC. All mailboxes and mounting structures shall be kept well painted and in good working order.

Section 3.20 Massing

Equal attention to detail and Architectural definition must be given to all sides of the structure, including, but not limited to, the foundations, banding, accent materials, roof character, and window treatment. Retaining walls, planter walls, and privacy walls should be used to break up the elevation of a building and help relate the structure to the ground. All exposed concrete block or poured concrete foundations and site retaining walls must be covered with an appropriate wall-facing material, which must be approved by the Reviewer.

Section 3.21 Paint

Owners may repaint the surfaces of their house in accordance with the originally approved color scheme of those surfaces without Reviewer approval. Reviewer approval is required for all changes in exterior painting. Color chips or samples are required for all paint applications. Color chips must indicate the type of paint: Base color must be flat or satin finish. Trim color must be flat, satin finish or semi-gloss. Gloss Paint is not allowed. Review criteria may include, but shall not be limited to, the sheen of paint, the home's architecture, any existing stone or brick accents, roof color, and neighboring properties' colors. The main colors for all exterior building surfaces must complement the Architectural theme of the house. For a change in the residence's main color to be approved, two (2) 3' x 3' samples of the proposed color must be painted on two different exterior walls of the residence. Painting of the gutters and soffits is prohibited. Downspouts may be painted to match the adjacent color on the walls.

Section 3.22 Patios

All plans and designs for patios and enclosures must be submitted to the Reviewer for review prior to construction.

Section 3.23 Playhouses

All plans and designs for playhouses must be submitted to the Reviewer for review prior to construction. A playhouse shall be considered an accessory building if the footprint measures more than 24 square feet, is more than 6 feet high from peak to ground, or is constructed on a concrete slab or footing. Playhouses are allowed in rear yard only, as long as they are not visible from the street, public area, or golf course. Tree houses are prohibited.

Playhouses may be commercially available plastic units or constructed of wood. All wood playhouses must be constructed of exterior rated materials and have appropriate stain or paint on all exposed surfaces. Playhouses are not permitted to have any utility services installed in or on the structure. Playhouses may not be used as housing for animals.

Section 3.24 Pools

Reviewer approval is required for the construction or installation of pools. Pools shall be an integral part of the deck or patio area and/or the rear yard landscaping. A pool shall be located in the rear yard. All fuel tanks and mechanical equipment necessary for the operation of any pool must be located in the rear or side yard and shall be screened from the street, public spaces, golf course, and neighboring Lots by an enclosure, wall, fencing, or mature landscaping such screening to be in accordance with these Design Review Guidelines and all applicable county regulations, and approved by the Reviewer.

Access to the site must be obtained by using the property of the Owner installing the pool. If access is needed across another Lot or common area, the Applicant shall obtain the written permission of the Owner prior to submitting the pool application. Applicants shall be required to assure that any planned re-grading of their lot, either major or minor, relating to the pool installation will not adversely affect the flow of runoff water as published in the original property survey

Any swimming pool and the screening or fencing surrounding it that is to be constructed on any residential Lot shall be in compliance with all municipal regulations, and subject to the approval and requirements of the Reviewer, which shall include, but which shall not be limited to the following: (i) above-ground swimming pools shall not be allowed; (ii) materials, design and construction shall meet standards generally accepted by the industry and shall comply with applicable governmental regulations; and (iii) the location shall be approved by the Reviewer.

All pool equipment, storage tanks, chemical feeders, heating equipment, and any other aboveground apparatus (except air-conditioning units) must be shielded by screening or dense shrubbery so that such equipment or apparatus is not visible from the street, common areas, or the golf course Pool heater vent stacks may extend above the enclosure. Pool equipment must be shielded within fifteen (15) business days from the date of completion of the pool.

Any grass or vegetation compromised or destroyed during pool installation must be replaced with healthy grass or vegetation, identical in all material respects as the previous grass and/or vegetation (unless otherwise approved by the ARC) within fifteen (15) business days from the date of completion of the pool.

Section 3.25 Recreational Equipment and Playsets

No basketball hoops or backboards shall be attached to any residence or placed in any front or side yard. Any portable or mechanical device that enables an Owner to engage in basketball (e.g., a pole mounted with a backboard and hoop that can be moved and temporarily anchored) must be stored in the Owner's house or garage when not in use, and under no circumstances may such portable basketball devices be permitted to remain on the Lot overnight.

Other recreational equipment shall not be installed or utilized in the front yards of Lots or attached to houses or garages under any circumstances. Other recreational equipment shall not be installed in sideyards without prior ARC approval and must be fully screened from view of all lots including adjacent lots.

Removable recreational equipment is allowed in rear yards and shall be well maintained and deemed attractive. Permanent or attached recreational equipment requires Reviewer approval. All temporary recreational equipment are not permitted to remain on the lot overnight.

Section 3.26 Roofing

Roof pitches and overhangs shall be designed for compatibility with adjacent roof profiles in front, side, and rear elevation, and may vary as dictated by Architectural design. Acceptable roof materials are dimensional shingles, tile, or better unless approved in advance by the Reviewer and the Board. Reviewer and Board approval is required for a roof-material change. If replacement shingles do not match the existing shingles, the entire area visible from the street or adjacent properties must be replaced.

Roofs shall be maintained free from mildew. Any roof which has 10 % or more area discolored on any surface (or plane) by mildew shall be a violation and subject to enforcement.

Section 3.27 Roof Accessories and Equipment

Reviewer approval is required for all rooftop equipment and accessories, unless specifically excepted in this Section.

Exposed flashing on the roof surface must be painted to match or an approved compatible color with the roof surface. The only exception is valley flashing which may be left as unfinished metal or painted in a manner consistent with the existing exposed roof flashing.

All flashing on the sides and bottom of the fascia as well as gutters must be maintained with the original white coating visible and not painted over with any product. All Downspouts must be uniformly left the original white coating or painted to match the existing adjacent fascia and body color of the structure. The only exception is flashing,

gutters, and downspouts that were installed as a component of a screened structure. These flashings and gutters must match the material approved for the screened structure.

Reviewer approval is also required for skylights.

Section 3.28 Siding

Owners shall seek Reviewer approval before installing or replacing siding, due to the differences in texture.

Section 3.29 Signs

No sign of any kind other than the numeric address of the Owner shall be permanently displayed to the public view on any Lot or improvements thereon. The numeric address may be placed on the front of the mail box and on the side of or over the garage door structure in a manner that is consistent with the existing village themeing.

Temporary signs are limited to Political Signs and Permit Boxes. Political Signs are limited to one sign per race placed in the front yard for a period of no more than 30 calendar days before the election and 1 calendar day after the election. The same requirements are in place for run-off elections. A Permit Box is permitted on the property no more than 1 work day before the work commences and 1 work day after the final inspection is complete. Only one permit box is permitted on a property.

No signs are allowed in the medians or on the main boulevards and parkways in Stonybrook West. This prohibition includes garage-sale, moving, open house, for-sale, etc., signs with the exception of temporary special event signs that have been expressly approved by the ARC.

(a) Exceptions

One security sign is permitted in the front yard located either adjacent to the driveway or in close proximity to the front entrance of the main dwelling. Security company signs are also permitted in the windows. Identification signs (numbers) for Lots are required. Address numbers should be at least 3” high, visible and legible from the street on which the house fronts. The color must contrast with the immediate background material. Security and identification signs shall not exceed 8” by 10” and the Reviewer may impose shape and color restrictions on security signs.

No other signs, except for the aforementioned security company signs, are allowed in windows.

One sign on a fence or gate for “Beware of Dog” is permitted up to 8” by 10.”

One “For Sale” sign may be placed inside the window of a personal automobile. No other signage is permitted on or in a personal automobile.

Section 3.30 Solar Equipment

Solar equipment shall not be installed without the approval of the Reviewer. Any solar panels and related appurtenances and equipment shall be designed and constructed to appear as an integrated part of the building Architecture. This shall generally mean that the panels shall be roof mounted so that the top surface is flush with the roof surface. Solar panels should be located on the rear or side roof of a home. Any equipment placement in question will be decided by the Reviewer.

All panels must be installed with 45 degrees east or west of due south and be flush mounted and be located on the rear and side roofs of houses whenever possible. Unless proven to the reasonable satisfaction of the Board that such a placement is absolutely necessary for effective use, solar panels will not be permitted on any surfaces that face the front of the home. All solar panels must be approved by the Reviewer.

Section 3.31 Temporary Structures

Temporary or accessory structures, other than those used during the initial construction of a residence or model homes and sales facilities, including without limitation, shacks, sheds, trailers, vans, tanks, tents, or other similar structures are prohibited. Reviewer approval is required for tents other than camping tents (backyard only), which are used for occasional overnight sleeping by children and are left standing for no longer than 48 hours.

No mobile homes, trailers, shed, shacks, tents or other structure of a temporary nature (except adequate sanitary toilet facilities for workers during construction and the Developer's construction trailer) shall be erected or permitted to remain on any Lot prior to the start of construction of a permanent residence. However, builders of improvements on the Lots may use a construction trailer and/or sales trailer.

Section 3.32 Building Type

No building shall be erected, altered, placed or permitted to remain on any Lot other than a residential home.

Section 3.33 Garbage and Trash Containers

No lot shall be used or maintained as a dumping ground for rubbish, trash or other waste.

All garbage or trash containers must be stored in concealed areas so that they shall not be visible from adjoining lots, common areas, or the golf course. Owners may use existing structures, fenced in areas, or mature landscape buffers to conceal the garbage or trash containers. All containers must be relocated if they produce an odor that is

bothersome to others in the community, or provide an unwanted habitat for nuisance animals.

Trash containers with secured lids may be placed out for pick-up after 6:00 PM the evening before, or as otherwise dictated by Orange County, and removed by sunset the day of pick-up. Containers shall not be permitted to remain out between pick-ups regardless of holidays or other reasons.

Section 3.34 Utilities

Pipes, wires, poles, utility meters, and other utility facilities shall be kept and maintained, to the extent reasonably possible, underground or within an enclosed structure. Any utilities or utility equipment not installed below ground or within an enclosed structure requires Reviewer approval. Utilities include water, sewer, power, telephone, cable television, and miscellaneous conduits.

Section 3.35 Windows and Doors

Windows should be clear glass or a tinted glass of bronze, gray, or smoke colors. Window film must get Reviewer approval. Homeowner must submit sample of film with specifications. Window film must be 20% visible light reflected or less and non-reflective.

No hurricane or storm shutters shall be installed unless such has been approved by the Reviewer. Approved hurricane shutters and/or temporary protective covering shall be allowed only after a storm warning has been issued by the U.S. Weather Service.

Decorative shutters may be installed with approval from the Reviewer. All decorative shutters must be constructed of wood or composite material and must be painted to match the existing approved trim colors. The shape of the shutters must be such to match the shape and contour of the window they are placed next to. The size of the shutter must match the height of the window opening and the width of the shutter must be no greater than ½ the width of the window opening. Shutters comprised of slats are not authorized.

Approved permanent hurricane shutters must be opened and temporary protective coverings removed within 48 hours after the “all clear” is announced.

Replacement, modification or addition of exterior windows, doors, screen doors, storm doors and trim shall be subject to Reviewer approval. No “burglar bars,” steel or wrought iron bars, or similar fixtures shall be installed on the exterior of any windows or doors of any dwelling without ARC approval.

All window coverings must be maintained in a good state of repair. Window coverings must be manufactured vertical or horizontal blinds, drapes, curtains, fans or

shades that fit the dimensions of the window and properly mounted. No drawings, pictures, lettering, flags, signs, etc. may be attached or visible in any part of the window other than house security signs. Small garage door windows do not need to be covered, but if they are, the coverings must be maintained in a good state of repair. Religious seasonal decorations are permitted in windows without approval but must be removed after the season is over, in accordance with Section 3.15.

Article IV. LANDSCAPING AND SITE STANDARDS

Landscaping is an essential element of design at Stoneybrook West. Preservation of existing vegetation in addition to the introduction of plants native to the Central Florida area must be considered in establishing the landscape design.

Section 4.01 Landscaping

The Applicant shall develop a landscaping plan and install and maintain landscaping on such Lot (subject to such extensions granted by the Reviewer due to weather conditions). If the landscaping plan indicates that more than 50 % of the front yard will be lawn, and the remaining landscaping conforms to minimum landscaping standards listed below, Applicant need not seek approval of the plan. If, however, the plan indicates that 50 % or more of the front yard is to be landscaped, or the landscaping varies from the typical approved plan, Applicant must submit his plan to the Reviewer for approval. Plans including water improvements, such as ponds and waterfalls, require Reviewer approval.

Builders may submit typical landscaping plans to the Reviewer for pre-approval of a tract in Stoneybrook West. Once pre-approved, it shall be necessary for a Builder to submit individual plans only in the event of deviation from pre-approved plans.

(a) Minimum Landscaping

The value of landscaping on each lot must be a minimum of 1-1/2% of the current market value of the Lot and improvements thereon.

(b) Plant Quality Standards

Acceptable plant quality standards shall apply to landscape plants used in conformance with this Section. All trees and shrubs shall be Florida No. 1 or better as defined in "Grades and Standards for Nursery Plants," Part I and Part II, State of Florida, Department of Agriculture, in the most current edition. Sod shall be free of weeds, diseases, fungus, and vermin.

(c) Maintenance

All landscaped areas on any Lot (including in easements) shall be maintained in live, healthy and growing condition, properly watered and trimmed. All fallen fruit, leaves, seeds, pods, fronds or other plant debris must be promptly removed, including those fallen on adjacent neighbors' properties and common areas. Any planting of grass, shrubs or trees which becomes dead or badly damaged shall be replaced with similar sound, healthy plant materials. Yard lawns must be planted with St. Augustine grass. Dead or dying grass must be replaced by installation of sod; provided, however, that grass plugs may be installed in lieu of sod in rear yards enclosed by fences and front, side and unenclosed rear yards only so long as the plugs are used solely to fill in gaps or holes in the turf that are smaller in size than a standard-size square or rectangle of sod.

No extensive weeds or other unsightly lawn growths shall be permitted to grow or remain upon any Lot, and no refuse pile or unsightly objects shall be allowed to be placed or suffered to remain anywhere thereon.

A dead, declining, or dying tree in front yards shall be replaced with a tree that is approximately the same height, or minimum height of ten (10) feet, whichever is less. All yards must have three (3) trees or palms over the height of ten (10) feet.

All lots must maintain one Live Oak tree greater than 10' in the property between the sidewalk and the roadway in the front of the house near the center line of the property along the street. Corner lots or lots with greater than 150' of road frontage must maintain two additional Live Oak trees greater than 10' spread evenly along the frontage of the property between the sidewalk and the roadway.

Owners shall keep sidewalks adjacent to Lots cleaned of visible dirt, mold, and mildew.

Any Owner within Stoneybrook West who has maintenance responsibilities for the property adjacent to the public right of way or body of water shall maintain the landscaping to the edge of the pavement or water's edge regardless of the property boundaries shown on the plat. The following standards shall apply: (i) Common Area Lakes and pond banks that lie adjacent to public roads are available for use to all Members of the Association. Lakes and pond banks maintained by the Association are available only to residents of that Stoneybrook West. (ii) The Association maintains the Common Area turf around Association owned retention ponds that have St. Augustine grass and sprinkler systems.

Plant beds and lawns shall be kept free of weeds by the Owner and maintained in a neat manner. In the event that any Owner shall fail or refuse to keep his Lot free of weeds, underbrush or refuse piles or other unsightly growths or objects, or maintain landscaped areas, sidewalks, or other areas described above, then the Association may enter upon said Lot and remove or maintain the same at the expense of the Owner, and such entry shall not be deemed a trespass.

(d) Ornamentation

The use of non-living objects as ornaments in any component of a Lot's landscaping requires Reviewer approval.

(e) Statues and Fountains

Reviewer approval is required for all statues and fountains in the front or side yards. Reviewer approval is not required for the rear-yard installation of any statue or fountain that, including any pedestal, stands no more than six feet tall.

(f) Birdbaths, Birdhouses, and Birdfeeders

Reviewer approval is not required for the rear yard installation of any birdbath that is three feet tall or less, including any pedestal. Placement in any front or side yard requires Reviewer approval. No Reviewer approval is required for one rear yard installation of any birdhouse or birdfeeder. Such birdhouse or birdfeeder shall measure no more than one foot by two feet. Additional units or installation in the front or side yard requires Reviewer approval.

Section 4.02 Drainage

Drainage of the Lot must conform to all applicable water management district, county and municipal requirements. All drainage and grading must be indicated on the Site Plan. There shall be no interference with the established drainage pattern over any Lot or other Property except as approved in writing by the Reviewer. The established drainage pattern is defined as the drainage pattern as engineered and constructed by the Builder prior to (or in some cases, immediately following) conveyance of title from Builder to the individual homeowner. Owners may make minor drainage modifications to their Lots provided that they do not alter the established drainage pattern.

Landscape plans shall conform to the established drainage pattern, shall cause water to drain away from the foundation of the house, and shall prevent water from flowing under or ponding near or against the house foundation and other structures, including those of adjacent neighbors. Water should not pond on walkways, sidewalks, or driveways into the street. The Reviewer may require a report from an engineer as part of landscaping or improvement plan approval. Sump pump drainage should be vented a reasonable distance from the property line to allow for absorption.

Section 4.03 Easement Plantings

All plantings in an easement area (e.g., the area between the sidewalk and the curb) that have been previously approved shall be subject to the following conditions: (i) Annuals and ground cover planted in the easement area shall be less than 18" in height at maturity. (ii) Only single-trunk trees shall be planted in the easement area. Palm trees

must have a five (5) foot clear trunk before the fronds start and be the type that will reach a height of at least 12 feet. Unless part of the original improvements to a Lot, these trees are to be planted no closer than twenty-five (25) feet apart. A variance must be obtained from the Architectural Review Committee for trees planted closer than 25 feet apart. (iii) Plant hangers will not be allowed in the easements.

Section 4.04 Fences, Walls, and Enclosures

In order to provide privacy and maintain a uniform appearance of quality throughout the development, the following applies:

(a) Height; Materials; Types; Construction

Fences, walls, and screens shall not exceed six (6) feet in height on front, side, and rear yard areas. Acceptable materials are white PVC, black wrought iron or black aluminum, block and stucco, stone, brick, or landscape plants, or a combination of these as approved by the Reviewer. Colors and patterns shall be compatible with the housing design and harmonious with the streetscape. Particular types of fencing must be used in certain areas. The exterior side of all fences shall have a finished appearance.

No front yard fences shall be permitted. Fences shall not be permitted any closer to the front Lot line than a line parallel to the rear of the dwelling, however fencing may be closer to the front of the dwelling if needed to screen equipment or under other circumstances, subject to approval by the ARC. Owners may set fence posts adjacent to a neighboring property's fence post without permission. Tying into a neighbor's fence shall require the Owner's written permission.

The composition, location and height of any fence or wall to be constructed on any Lot shall be subject to approval by the ARC.

(b) Property Adjacent to Pond or Lake, Golf Course Fairway and cart path, Park Area, or Boulevards

On property immediately adjacent to ponds, fencing can go to the property line and on lake, golf course fairway and cart path, park area, or boulevards, fencing must be twenty (20) feet back from the property line. Only black wrought iron or black aluminum fencing, or approved landscape materials may be installed between the residence and common area. The rear property line may be defined by landscaping, which must be on the Owner's property and be maintained by the Owner. The landscaping recommended along the property line shall be in the form of either screen trees or shrubs.

(c) Maintenance

Any fences, walls, or screens, whether constructed by the Owner or a Builder, shall be well repaired and maintained consistent with the original approved construction.

In the event a fence, or wall, or screen is damaged or destroyed, the Owner or responsible party shall promptly repair or recondition the same at their expense, i.e., within thirty (30) days unless the ARC or Board authorizes a longer period.

If a developer-mandated, builder-installed fence is on the lot line of adjoining lots, it is the common property of adjoining landowners, and the property interest of each landowner is identical.

In a case where the developer-mandated, builder- installed fence is on the lot line, the landowners have maintenance responsibility for their side of the fence and will be held responsible to maintain their side of the fence in a manner consistent with the original approved construction thereof.

If a fence is located totally on one lot, that lot owner will be held responsible to maintain both sides of the fence. A landowner cannot enter the adjoining lot owner's property without permission for the purpose of maintaining the fence without permission from the adjoining lot owner.

Section 4.05 Vegetable Gardens

Vegetable gardens shall be allowed in rear yards only, and shielded from view of adjacent Lots, golf course and cart paths, or Common areas, unless otherwise approved on a case-by-case basis by the Reviewer.

Section 4.06 Grading

Owners shall not grade their property so as to interfere with the established drainage pattern over any property except as approved in writing by the Reviewer. The elevation of the Lot shall not be changed so as to materially affect the surface grade of the surrounding Lots, or obstruct the drainage in any manner. Owners should work with the natural contours and seek solutions that minimize the impact of grading with respect to major alterations of existing grades.

No lot or parcel shall be increased in size by filling-in the waters on which it abuts.

Section 4.07 Hedges

Reviewer approval is required for hedges in front, side, or rear yard. Properties on the pond or lake are not to have hedges over four feet high within the area between the property line and twenty feet inside the property line.

Section 4.08 Paving; Driveways and Walkways

Owner shall secure Reviewer's approval prior to paving with any paving material, including concrete, asphalt, brick, flagstone, stepping stones, and pre-cast patterned or exposed aggregate concrete pavers, and for any purpose, including walks, driveways, or patio areas. The staining or application of any coating other than a clear sealer must have prior approval of the ARC. The use of paint will not be permitted under any circumstances.

All replacement driveways and walkways shall be of the same size, shape, dimension, and grade (or better grade) of material as the original unless otherwise approved by the ARC. Owners shall secure Reviewer approval before extending or expanding any driveway or walkway. The Reviewer shall not approve such extensions or expansions for Owner's intended purpose of providing side yard parking or vehicle storage. No motor vehicles of any kind shall be parked on walkways.

Driveways shall be maintained and kept materially stain-free. Stains will be reviewed on a case-by-case basis, and the Reviewer shall require excessive stains to be removed.

Section 4.09 Curbing and Mulch

Permanent curbing requires approval by the Reviewer. All curbing shall be of a color, dimension, and style to complement the surrounding landscape and building features.

Approved mulches, organic and inorganic, are limited to; wood bark or fibers greater than ½" but less than 4", natural rock or stone greater than ½" but less than 3", or white course sand (back yard only). Grass clippings, coarse sand (visible from the street), white natural rock or stone (visible from the street), and rubberized or synthetic mulches, and are not approved mulches.

All mulches must be maintained and have a natural look that harmonizes with the property and have uniform coloration in earth tones consistent with the community. The exception is that white course sand and white natural rock or stone may be used in the back yard when not visible from the street. The use of white course sand requires approved permanent concrete curbing to contain the sand.

Two types of mulches may be used on a property as long as the view from a common area (Street, Golf Course, or Boulevard) presents a view of a single type of mulch and that the transition from one type of material to another is done in a formal and discreet manner.

Section 4.10 Retaining Walls

All retaining walls require approval by the Reviewer. Such walls shall be properly anchored to withstand overturning forces. Stone walls shall be made thicker at the bottom

than at the top to achieve stability. All retaining walls shall incorporate weep holes into the wall design to permit water trapped behind them to be released. Timbers for walls or other landscape use should be treated to resist decay. Walls shall not be located so as to alter the existing drainage patterns.

Section 4.11 Sewage Disposal Systems

Public sewers are the only sewage disposal system allowed.

Section 4.12 Underground Installations

Owners shall seek approval for any proposed underground installation, except for installation of underground sprinkler systems.

Section 4.13 Views

All sides of a house or structure that are directly visible from a Common Area (Street, Golf Course, or Boulevard) should be landscaped in such a way to complement and enhance the appearance of the property. The landscaping design and materials should be themed constantly throughout the view.

Section 4.14 Irrigation Systems

Owners may install irrigation systems underground without Reviewer's approval so long as the Owner installing such system obtains any permits required by Orange County or other governmental authorities. Landscaped areas of each Lot and the roadway boulevard shall be irrigated by an automatic irrigation system. Wells, except those drilled by the Board for the purpose of providing water service to Stoneybrook West, are prohibited. No individual water supply system or well shall be permitted on any Lot.

Section 4.15 Water Conditioners

Water conditioners or softeners may be installed without Reviewer's approval provided that such are shielded from view at ground level by appropriate landscaping or decorative fences.

Article V. CONSTRUCTION GUIDELINES

Section 5.01 Inspections

The Reviewer may perform periodic inspections to ensure that work is being performed in conformance with approved plans and specifications and these Design Review Guidelines. All inspections are observations only and will not relieve the obligation to obtain inspection approvals from Orange County and other organizations having jurisdiction.

Job sites not in compliance with the CCR&Rs, these Design Review Guidelines, or approved plans will be issued a Notice of Violation and a punch list of items needed to bring the construction and/or job site into compliance. Further construction is prohibited until such punch list items have been corrected.

Section 5.02 Vegetation Protection and Barricading

Prior to any construction or clearing activities, the Applicant shall take measures to protect vegetation. Any construction areas bordering or draining to a pond, lake, or wetland shall provide proper barricades and other measures to prevent any contamination. The type and materials of barricades may be reviewed by the Reviewer. In addition, the following actions are prohibited: (i) Dumping backfill into an area containing protected vegetation (“protected area”), (ii) Excavating soil from a protected area, (iii) Falling trees into a protected area, (iv) Parking in or driving through protected areas, (v) Stacking or storing supplies or equipment in protected areas, (vi) Changing site grading to causing drainage into a protected area, (vii) Locating temporary construction buildings in a protected area, or (viii) Disposing of toxic materials into a protected area.

Section 5.03 Construction Damages

Any damage to landscaping on an adjacent Lot, improvements on an adjacent Lot, any Living Unit, vegetation or any Common Area caused by the Applicant, its contractors, sub-contractors, agents, or employees must be corrected immediately to the satisfaction of the Reviewer, the Board, and the owner of the damaged property. If the damage is not fully corrected, and after reasonable notice and opportunity to cure to the Applicant, the Association may undertake to repair such damage and assess the actual costs of that repair to the Applicant. All costs so incurred, together with any legal fees and expenses incurred by the Association relative to collection of those repair costs, shall be the liability of the Applicant, and if not paid in full within thirty (30) days after notice of the total liability is provided to the Applicant, those costs and legal fees and expenses shall become a lien against the Applicant’s property, and the Association may record its claim of lien in the Public Records, and thereafter foreclose that claim of lien in the same manner as it is authorized to foreclose other liens it has against Lots in the community. All access over Golf Course, HOA, or CCD property must have written approval prior to commencement.

Section 5.04 Conduct

The Applicant must ensure that all contractors and subcontractors control the conduct of their employees while working in Stoneybrook West. Loud music, speeding, profanity, and other behavior that is unbecoming of a quality operation will not be tolerated. Employees violating this policy may be asked to leave the premises and may be denied access at the main or construction entrance.

Contractors must be properly licensed and insured for the type of work they are performing.

Contractors are only allowed in through the front gate.

Section 5.05 Site Cleanliness

All sites must be maintained in a clean and orderly manner at all times. The storage of materials should be in an inconspicuous location within the site and stored neatly and orderly. All construction debris shall be cleared at the end of each working day.

Article VI. ADDITIONAL DESIGN REVIEW PROCEDURES AND LANDSCAPING AND SITE STANDARDS FOR NEW CONSTRUCTION OR MODIFICATIONS TO PROPERTY

Section 6.01 Additional Architectural Review Procedures

In addition to the plans that an Applicant must submit in accordance with Section II., the Reviewer may require that an Applicant who submits plans for new construction or modifications to Property submit the following plans:

(a) Signage Plan

Showing details of proposed signage.

(b) Exterior Lighting Plans

Showing details of proposed lighting, including location of all fixtures, the manufacturer, model, and wattage of each fixture, and cut sheets.

Section 6.02 Initial Landscaping

Preservation of existing vegetation in addition to the introduction of plants native to the Central Florida area must be considered in establishing the landscape design. Within 90 days of completion of the Property, or within any extended period as may be provided in writing by the Reviewer, the Applicant shall develop a landscaping plan for which the Applicant must seek approval and install and maintain landscaping in accordance with an approved plan on such Property (subject to such extensions granted by the Reviewer).

Section 6.03 Drainage

Drainage of the Property must conform to all City of Winter Garden requirements. All drainage and grading must be indicated on the Site Plan. There shall be no interference with the established drainage pattern over any property except as approved in writing by the Reviewer. Owners may make minor drainage modifications to their Property provided that they do not alter the established drainage pattern.

Landscape plans shall conform to the established drainage pattern, shall cause water to drain away from the foundation of any structures located upon the Property, and shall prevent water from flowing under or ponding near or against the structure foundation. Water should flow fully over walkways, sidewalks, or driveways into the street. The Reviewer may require a report from a drainage engineer as part of landscaping or improvement plan approval. Sump pump drainage should be vented a reasonable distance from the property line to allow for absorption.

Section 6.04 Driveways; Parking Lots; Paving

Owners or Builders shall secure Reviewer approval before extending or expanding any driveway or parking lot. Owners shall secure Reviewer's approval prior to paving with any paving material and for any purpose. The structural integrity of the paving design, minimizing of clearing limits, and aesthetics are important factors to be considered in design of the project access ways. Property is encouraged to have only one entrance. All internal access ways must be owned and maintained by the Owner or by the Association. The Owner or Builder should review county requirements and comply with such requirements.

It is important that flexibility be provided in the design of parking lots to allow shifting of spaces to preserve vegetation, based on actual field conditions encountered during construction. Parking spaces should be designed to avoid long rows of spaces without an island of vegetation. Paving widths of access ways should be kept to a minimum, so as to preserve as much natural vegetation as possible. Consideration should also be given to the design of curbing to preserve natural vegetation and provide a pleasing appearance.

Section 6.05 Exterior Lighting

Light sources must be approved by the Reviewer and must be concealed, where possible, and all light shall be in shades of white. Colored lights are prohibited. No spillover of light can occur on neighboring properties, and lighting must be shielded to prevent glare. Wall washes can be achieved through mounting on a soffit, a wall, or the ground. Tree uprights should be concealed underground or in shrub masses.

Garden lights or walkway bollards should direct the light downward with a concealed spotlight. No mill finish aluminum housing will be allowed for landscape lighting.

Section 6.06 Grading

Owners or Builders shall not grade their property so as to interfere with the established drainage pattern over any property except as approved in writing by the Reviewer. Owners or Builders should work with the natural contours and seek solutions that minimize the impact of grading with respect to major alterations of existing grades.

Section 6.07 Signage for New Construction

Pre-construction signage on or for new construction must be approved by the Reviewer. Such signage and the graphics, colors, sizes, and location of signs must be approved by the Reviewer. Signs must be professionally lettered, must conform to the appropriate local ordinances, and shall be constructed and installed in accordance with approved guidelines. The Owner or Builder is responsible for obtaining all necessary permits and paying all required fees

No sign shall be located within 10 feet of any lot line without the written approval of the Reviewer. The Owner or Builder may not erect signs outside the boundaries of their Property without the written approval of the Reviewer and the owner of the property on which the sign is located.

(a) Signs Not Permitted

The following are signs that are not permitted: (i) banners or streamers, (ii) sidewalk or curb signs (sandwich or "A" type), (iii) portable displays or mobile signs; (iv) roof mounted signs, (v) revolving or rotating signs, (vi) flashing signs, (vii) iridescent or day-glow painted signs, (viii) exposed neon, fluorescent or incandescent illumination Searchlights, or (ix) sub-contractor signs.

Under special circumstances, the above may be permitted by the Reviewer for a specified use and for a designated, limited period of time.

Section 6.08 Underground Installations

Owners or Builders shall seek approval for any proposed underground installation, except for installation of underground sprinkler systems.

Section 6.09 Views

All sides of a house or structure that are directly visible from a Common Area (Street, Golf Course, or Boulevard) should be landscaped in such a way to complement and enhance the appearance of the property. The landscaping design and materials should be themed constantly throughout the view.

Article VII. NON-LIABILITY FOR APPROVAL OF PLANS

Neither the ARC nor the Board assumes any liability or responsibility for the implementation, approval, installation, construction, or quality of any plan it approves. Such liability is the sole responsibility of the Owner or Owner's contractor.

Article VIII. CHANGES AND AMENDMENTS TO THE DESIGN REVIEW GUIDELINES

From time to time, the ARC may recommend to the Board of Directors certain modifications and/or amendments to the Design Review Guidelines. In order to become effective, any proposed modification or amendment to the Design Review Guidelines must be adopted by a majority of the members of the Board of Directors at a meeting duly called and noticed and at which a quorum of the Board of Directors is present and voting. Such amendments shall not be retroactive so as to apply to previous approved work or approved work in progress.

In no way shall any amendment to these Design Review Guidelines change, alter or modify any provision of the CC&Rs, as amended and supplemented.

These Design Review Guidelines have been reviewed, approved and adopted by the Board of Directors this, the 9th day of November.

ATTEST: STONEYBROOK WEST MASTER ASSOCIATION, INC.

President's signature _____ Date _____
Print name _____

Secretary's signature _____ Date _____
Print name _____